APPLICATION NO: F/YR17/1231/VOC

SITE LOCATION: Land North of Whittlesey East of East Delph, Whittlesey

<u>UPDATES</u>

1. Combined authority update

Officer response

The council's housing team has advised that they are continuing discussion with the combined authority and registered providers about seeking to secure the policy-compliant level of affordable housing on the site.

2. Agreement to proposed conditions

Officer response

With regard to S.100za(5) of the Town and Country Planning Act 1990, the applicant has provided written agreement to the pre-commencement conditions proposed.

3. Email to Members from Cllr Boden (see attached)

Officer response

It is considered that the concerns raised are adequately addressed in the officers report – particularly 10.21-10.26 (access), 10.32, 10.55-10.58 (Drainage) and 10.33-10.35 (CEMP)

4. Further comments

5 further letters of objection received raising the following points that have not already been addressed in the report;

• Questions the appropriateness of S73 *Officer response* It is considered that the concerns raised are adequately addressed in the officers report at 10.8.

What compensation residents would be entitled to Officer response

It is unclear as to what specifically the compensation would be claimed against.

• Phasing could result in zero contributions toward infrastructure Officer response

The s106 would secure contributions which would be required at the relevant trigger points.

• Lack of provision for electric vehicle charging points (EVC)

Officer response

The original outline application did not secure EVC. Section 10.9-10.10 of the Officer report sets out the requirements of S73 considerations. It is concluded that it would be unreasonable to now seek to secure EVC.

Resolution:

Further to the consideration of the additional comments received the recommendation is to approve the application as per Section 12 of the Officer's report.